

LIST OF POSTERS

Session I

SESSION A1 : THERMODYNAMIQUE AND PHYSICO-CHEMICAL PROPERTIES

- P13** A COMPARISON BETWEEN MODELS BASED ON CUBIC EQUATIONS OF STATE AND DENSITY-BASED MODELS FOR DESCRIBING THE SOLUBILITY OF SOLUTES IN CO₂.
Türk M., Crone M., Karlsruhe Institute of Technology (Germany) and Kraska T., University of Köln (Germany)
- P14** PHASE BEHAVIOR ON THE COSOLVENTS EFFECT OF BINARY AND TERNARY MIXTURE FOR THE POLY(HYDROXYPROPYL METHACRYLATE) AND POLY (HYDROXYPROPYL ACRYLATE) IN SUPERCRITICAL FLUID SOLVENTS.
Jang Y.-S., Yang D.-S. and Byun H.-S., Chonnam National University, Yeosu (South Korea)
- P15** HIGH PRESSURE PHASE BEHAVIOR FOR THE BINARY MIXTURE OF VALERONITRILE, CAPRONITRILE AND LAURONITRILE IN SUPERCRITICAL CARBON DIOXIDE AT TEMPERATURES BETWEEN (313.2 to 393.2) K AND PRESSURES FROM (5 to 31) MPa.
Jang Y.-S., Kim S.-H. and Byun H.-S., Chonnam National University, Yeosu (South Korea)
- P26** HIGH PRESSURE PHASE EQUILIBRIA OF BINARY SYSTEM CO₂-OLEORESIN CAPSICUM.
Fernández-Ronco M.-P., Gracia I., De Lucas A. and Rodriguez J.-F., University of Castilla-La Mancha, Ciudad Real (Spain)
- P27** A PHASE EQUILIBRIA STUDY OF SUNFLOWER OIL TRANSESTERIFICATION USING SUPERCRITICAL ALCOHOLS WITH CARBON DIOXIDE AS COSOLVENT.
Santana A., Recasens F., Larrayoz M.-A., University Politècnica de Catalunya, Barcelona and Ramirez E., University of Barcelona (Spain)
- P30** HIGH PRESSURE PHASE BEHAVIOR OF CO₂ AND POLYDIMETHYLSILOXANES.
Lang S., Kareth S., Weidner E., Ruhr-University-Bochum (Germany) and Pérez M., University of Valladolid (Spain)
- P36** EXPERIMENTAL STUDY OF HIGH PRESSURE FLUID PHASE EQUILIBRIA OF TERNARY SYSTEMS INVOLVING SULFATHIAZOLE AND CARBON DIOXIDE.
Masmoudi Y., Azar F. and Badens E., University Paul Cezanne Aix-Marseille, Aix-en-Provence (France).
- P40** SOLUBILITY AND DIFFUSIVITY OF SUPERCRITICAL CO₂ IN BIORESORBABLE POLYMERS: MEASUREMENTS, CALCULATIONS AND POTENTIAL APPLICATIONS IN POLYMER FOAMING
Aionicesei E., Škerget M. and Knez Ž., University of Maribor (Slovenia)
- P57** GRAVIMETRIC ANALYSER FOR SELECTIVE SORPTION MEASUREMENT OF MULTI-COMPONENT GAS OR SUPERCRITICAL MIXTURES IN FLUIDISED-BED OR LIQUID SORBENTS.
Fieback T., Ruhr-University Bochum and Dreisbach F., Rubotherm GmbH, Bochum (Germany)

- P60 INFLUENCE OF INJECTION PRESSURES UP TO 100 MPa AND VESSEL PRESSURES ABOVE THE CRITICAL POINT ON THE PARTICLE FORMATION IN A SUPERCRITICAL ANTISOLVENT PROCESS**
 Rossmann M., Pemsel M., Braeuer A., Dowy S., Leipertz A. and Schluecker E., University of Erlangen-Nürnberg (Germany)
- P63 AN OPTICAL TECHNIQUE TO GAIN INFORMATION ON MIXING, NUCLEATION, AND PHASE BEHAVIOUR.**
 Dowy S., Braeuer A., Rossmann M., Schluecker E. and Leipertz A., University of Erlangen-Nürnberg (Germany)
- P66 KINETIC RESOLUTION OF 4-PHENYL-2-AZETIDINONE IN SUPERCRITICAL CARBON DIOXIDE**
 Utczás M., Székely E., Monek E., Vida L., Simandi B., Budapest University of Technology (Hungary) Tasnádi G., Forró E. and Fülöp F., University of Szeged (Hungary)
- P68 MATHEMATICAL MODELING OF THE RAPID EXPANSION OF SUPERCRITICAL FLUID.**
 Anikeev V.-I., Stepanov D.-A., Yermakova A., Boreskov Institute of Catalysis, Novosibirsk (Russian)
- P73 SOLUBILITY OF HIGH MOLECULAR MASS METHYL ESTERS IN SUPERCRITICAL ETHANE.**
 Schwarz C.-E., Hahn M.-L. and Knoetze J.-H., University of Stellenbosch (South Africa)
- P75 COMPARISON OF THE PHASE BEHAVIOUR OF HIGH MOLECULAR MASS ALCOHOLS IN VARIOUS SUPERCRITICAL FLUIDS.**
 Schwarz C.-E and Knoetze J.-H., University of Stellenbosch (South Africa)
- P91 CHARACTERIZATION, DISSOLUTION OF TBP-ORGANIC ACIDS COMPLEXES AND THEIR EXTRACTIONS USING SUPERCRITICAL CARBON DIOXIDE--RECOVERY OF ORGANIC ACIDS**
 Shaofen Wang J. , University of Idaho, Moscow (USA) and Chiu KongHwa, National Dong Hwa University, Hualien, Taiwan (ROC)
- P92 MEASUREMENTS OF THE HIGH-PRESSURE PHASE EQUILIBRIA FOR THE SYSTEM CARBON DIOXIDE – LIMONENE BY MEANS OF A DOUBLE-CHAMBER RECIRCULATION APPARATUS.**
 Gironi F., Capparucci C. and Maschietti M., Università degli Studi di Roma “La Sapienza”, Roma (Italy)
- P93/CO49 EXPERIMENTAL SETUP FOR MEASURING THE THERMAL CONDUCTIVITY OF PRESSURIZED SOLUTIONS.**
 Lang S., Kilzer A., Kareth S. and Weidner E., Ruhr-University-Bochum (Germany)

SESSION C1-B1-B4 : NATURAL PRODUCTS

- P02 STUDY OF TUNISIAN “MYRTUS COMMUNIS L” : EXTRACTION PROCESS BY SUPERCRITICAL CO₂.**
 Aydi A., Abderraba M., Unité de Recherche Physico-Chimie Moléculaire de l’IPEST, Tunis, (Tunisia), Barth D., ENSIC , Nancy (France) and Houssein B., Institut National des Sciences Appliquées et de la Technologie, Tunis (Tunisia)
- P04 CHARACTERISTICS OF HEMP (*Cannabis sativa* L.) SEED OIL EXTRACTED WITH SUPERCRITICAL CO₂.**
 Da Porto C., Decorti D., Tubaro F. University of Udine and Voinovich D., University of Trieste (Italy)

- P06 SUPERCRITICAL CO₂ EXTRACTION OF OREGANO AND CLOVE BUDS-SYNERGISTIC KINETIC EFFECT AND CHEMICAL COMPOSITION.**
Ivanovic J., Zizovic I., Stamenic M., Skala D. University of Belgrade (Serbia) and Ristic M., Institute for Medical Plant Research “Dr. Josif Pančić”, Belgrade (Serbia)
- P07 SUPERCRITICAL CARBON DIOXIDE EXTRACTION OF HOP PELLETS.**
Stamenic M., Zizovic I., Skala D., University of Belgrade (Serbia) , Eggers R., Jaeger P., Hamburg University of Technology, Hamburg (Germany) and Rój E., Fertilizers Research Institute, Pulawy (Poland)
- P09 SEASONAL VARIATION ON THE YIELD OF *Lippia Dulcis Trev.* EXTRACT OBTAINED BY SUPERCRITICAL CO₂.**
De Oliveira P., Machado R.-A., Bolzan A., UFSC, Florianopolis (Brazil) and Barth D., ENSIC, Nancy (France)
- P10 COMPARATIVE STUDY OF DIGESTIVE ENZYMES OF KRILL (*Euphausia superba*) AFTER SUPERCRITICAL CARBON DIOXIDE AND ORGANIC SOLVENT EXTRACTION.**
Abdelkader A.-N. and Chun B.-S., Pukyong National University, Pusan (Korea)
- P11 MEASUREMENT OF STABILITY AND ASTAXANTHIN CONTENT OF SQUID VISCERA OIL EXTRACTED BY SUPERCRITICAL CARBON DIOXIDE AND ORGANIC SOLVENT.**
Uddin S. and Chun B.-S, Pukyong National University, Pusan (Korea)
- P17 A ONE-POT PROCESS FOR THE EXTRACTION OF FATS AND ESSENTIAL OILS FROM CORIANDER SEEDS BY SUPERCRITICAL CO₂.**
Mhemdi H., Kechaou N., National School of Engineers of Sfax (Tunisia), Rodier E. and Fages J., Ecole des Mines d’Albi (France)
- P20 SUPERCRITICAL EXTRACTION OF OMEGA-3-RICH OIL FROM TROUT WASTE.**
Fiori L., Solana M., University of Trento, Tosi P., Strim C., Guella G. and Manfrini M., ASTRO, Trento (Italy)
- P21 GRAPE SEED OIL : SUPERCRITICAL EXTRACTION, CHEMICAL ANALYSIS AND FRACTIONATION.**
Fiori L., Solana M., University of Trento, Guella G., Strim C. and Tosi P., Department of Physics, Povo Trento (Italy)
- P32 PHYSIOLOGICAL ACTIVITY OF FAR EAST MARINE ANIMALS SUPERCRITICAL FLUID EXTRACTS.**
Pokrovskiy O.-I., Parenago O.-O., Lepeshkin F.-D. and Kuvykin I.-V., Glazunova S.A., Kurnakov Institute of General and Inorganic Chemistry, Moscow (Russia)
Drozdov A.-L., Institute of Marine Biology Far East Division, Vladivostok (Russia), Yousoufov V.-I., Bagratashvili V.-N., Institute on Laser and Information Technologies, Troitsk (Russia),
- P34 MASS TRANSFER MODELING OF ROSEMARY OIL EXTRACTION WITH SUPERCRITICAL CARBON DIOXIDE.**
Bensebia O., Bensebia B., Dahmani A., Faculty of Chemistry, USTHB, Alger (Algeria) and Barth D., ENSIC, Nancy-University (France)
- P35 SUPERCRITICAL CO₂ EXTRACTION OF OIL FROM MICROALGAE FOR BIOFUEL PRODUCTION.**
Crampon C., Boutin O., Nikitine C., Ouerd K. and Badens E., University Paul Cezanne Aix-Marseille, Aix-en-Provence (France)
- P38 OPTIMIZING YIELD AND DURABILITY OF FUNCTIONAL COMPONENTS FROM BROCCOLI SPROUTS BY EXTRACTION WITH SUPERCRITICAL CO₂.**
Ashurst K., CS Health, Louisville (USA), Igl-Schmid N. and Schulmeyr J., Nateco2, Wolnzach (Germany)

- P42 SUPERCRITICAL CO₂ AS SOLVENT FOR EXTRACTION OF FUNGAL METABOLITES**
 Botić T., Knez Ž., University of Maribor, Kralj Kunčič M., Gunde Cimerman N. and Sepčić K.,
 University of Ljubljana (Slovenia)
- P46 COMPARISON OF ESSENTIAL OILS COMPOSITIONS OF LEDUM PALUSTRE
 OBTAINED BY SUPERCRITICAL CARBON DIOXIDE EXTRACTION AND
 HYDRODISTILLATION METHODS.**
 Gretšušnikova T., Orav A. and Koel M., Talinn University of Technology, Talinn (Estonia)
- P48 DESORPTION OF BURITI OIL (*Mauritia flexuosa*, Mart.) FROM γ -ALUMINA USING
 SUPERCRITICAL CO₂.**
 Cunha M.-E., University of the State of Para, Belem (Brazil), Machado N.-T., Araujo M.-E.,
 Faculty of Chemical Engineering - UFPA, Belem (Brazil) and França, L.-F., Faculty of Food
 Engineering-UFPA, Belem (Brazil)
- P49 VEGETABLE OIL PRODUCTIVITY OF A SUPERCRITICAL FLUID EXTRACTION PLANT.**
 del Valle J.-M. and Núñez G., Pontificia Universidad Católica de Chile, Santiago (Chile)
- P61 EFFECT OF PRESSURE AND TEMPERATURE ON LIQUID OLEORESIN CAPSICUM
 EXTRACTION.**
 Fernández-Ronco M.-P., Gracia I., Ortega-Noblejas C., De Lucas A. and Rodriguez J.F.,
 University of Castilla-La Mancha, Ciudad Real (Spain)
- P62 SUPERCRITICAL FLUID EXTRACTION OF St.JOHN'S WORT (*Hypericum perforatum* L.)
 AND MARIGOLD (*Calendula Officinalis* L.).**
 Cossuta D., Baffi D., Mészáros A., Kiss K., Fekete J., Simándi B., Budapest University of
 Technology and Economics and Keve T., Gradiens Ltd., Budapest (Hungary)
- P77 FUNCTIONAL PROPERTIES OF SUPERCRITICAL EXTRACT FROM YLANG-YLANG
 (*Cananga odorata*) PEEL FRUIT.**
 Albuquerque C.-L.-C, Santos D.-T., Meireles M.-A., University of Campinas (Brazil) and Fabri
 E.-G., Instituto Agronomico Campinas (Brazil)
- P90 ANTIMICROBIAL PROPERTIES AND STRUCTURE OF AG-AND CU-CHITOSAN
 NANOCOMPOSITES SYNTHESIZED IN SUPERCRITICAL CARBON DIOXIDE.**
 Said-Galiyev E., Gamzazade A., Grigoriev T., Nikolaev A., Khokhlov A., A.N.Nesmeyanov
 Institute of Organoelement Compounds RAS, Moscow, Gallyamov M., Physical Department of
 the Moscow State University, Bakuleva N., Lyutova I., State Institution A.N. Bakulev Centre of
 Cardiovascular Surgery of Russian Academy of Medical Sciences, Volkov V., Shtykova E. and
 Dembo C., State Institution of Russian Academy of Sciences A.V. Shubnikov Institute of
 Crystallography RAS, Moscow (Russia)
- P95 SUPERCRITICAL FLUID EXTRACTION OF LEMON VERBENA (*Aloysia triphylla*):
 KINETICS, SCALE-UP AND CHEMICAL COMPOSITION.**
 Prado J.M., Meireles M.-A.-A, and Monteiro Lobato R., University of Campinas, Campinas
 (Brazil)
- P100 MEASUREMENT OF BURITI OIL (*Mauritia Flexuosa*, Mart.) SOLUBILITY IN
 SUPERCRITICAL CARBON DIOXIDE**
 Cunha M.-A.-E., University of the State of Pará.Center for Natural Science and Technology,
 Machado N.- T., Araújo M. -E. and França, L.-F., Faculty of Chemical Engineering-UFPA,
 Belém-Pará (Brazil)

Session 2

SESSION A2-A4-C2-C3 : HEALTH SCIENCES

- P12 PRODUCTION AND STABILIZATION OF SUBMICRON ORGANIC PARTICLES OF PHARMACEUTICAL RELEVANCE BY RAPID EXPANSION PROCESSES.**
Bolten D. and Türk M., Karlsruhe Institute of Technology, Karlsruhe (Germany)
- P29 MICRONIZATION OF ACTIVE PHARMACEUTICAL INGREDIENT USING THE RAPID EXPANSION OF SUPERCRITICAL SOLUTION METHOD.**
Lin P.-C., Chen Y.-P., National Taiwan University, Taipei, Tang M. and Ho S.-L., Chinese Culture University, Taipei (Taiwan)
- P33 TAILORING THERMORESPONSIVE MICROBEADS BY SYNTHESIS IN SUPERCRITICAL CARBON DIOXIDE.**
Costa E., Casimiro T., Cidade M.-T., Aguiar-Ricardo A. Universidade Nova de Lisboa (Portugal) and Lobato da Silva C., Instituto Superior Técnico, Lisboa (Portugal)
- P52 THE IMPACT OF SUPERCRITICAL FLUIDS PROCESSING ON MINOCYCLINE ANTIBACTERIAL ACTIVITY.**
Pinheiro L., Bettencourt A., Duarte A., Bettencourt K., Almeida A.-J., Castro M., Faculty of Pharmacy, University of Lisbon, Padrela L., Rodrigues M.-A. and Matos H.-A., Instituto Superior Técnico, Lisboa (Portugal)
- P58 PURIFICATION OF TAXOL FROM CHLOROFORM EXTRACTS OF TAXUS WALLICHIANA ON SOLID MATRIX BY SUPERCRITICAL CO₂ EXTRACTION.**
Negi A.-S., Longo G., Bertuccio A., University of Padova, Kikic I., Solinas D., Calabrese M. and Quarantotto M., University of Trieste (Italy)
- P78 SUPERCRITICAL ANTISOLVENT PRECIPITATION OF PIROXICAM SYSTEMS : PRELIMINARY EXPERIMENTS.**
De Zordi N., Moneghini M., Kikic I. and Solinas D., University of Trieste (Italy)
- P87 EFFECT OF THE PROCESS MODE ON THE PROPERTIES OF THE DRUG-POLYMER COMPOSITE PARTICLES PREPARED BY SAS PROCESS**
UzunI.-N., Dinçer S., Yildiz Technical University, Istanbul (Turkey) Alessi P., Kikic I., De Zordi N., Moneghini M., Solinas D., University of Trieste (Italy) and Sipahigil O., Marmara University, Istanbul (Turkey)
- P89 SEPARATION OF IBUPROFEN ENANTIOMERS BY DIASTEREOMIC SALT FORMATION AND ANTISOLVENTE PRECIPITATION IN SUPERCRITICAL CARBON DIOXIDE**
Rodriguez-Rojo S., Martin A., Matias A., Bansaghi G., Cocero M.-J., University of Valladolid (Spain) and Simplicio A.-L., ITQB/IBET, Oeiras (Portugal)
- P101 HYBRID NANOPARTICLES (HNP) PREPARATION BY PGSS® - A DERMATOLOGICAL FORMULATION OF AN ANTIBACTERIAL COMPOUND.**
Marques S.-R., Nunes A.-V.M., Instituto de Biologia Experimental e Tecnologica, Oeiras, Crespo M.-T.-B. and Duarte C.-M.-M., Instituto de Tecnologia Quimica e Biologica, Oeiras (Portugal)

SESSION A5-C4 : REACTIVITY-SC WATER

- P19 HYDROTHERMAL DEGRADATION OF GLYCEROL BY ELECTROLYSIS IN SUB-CRITICAL WATER.**
Yuksel A., Sasaki M. and Goto M., Kumamoto University (Japan)

P56 DOPING OF CORUNDUM WITH CERIUM DURING SYNTHESIS IN WATER FLUID.
Maryashkin A.-V., Ivakin Y., Danchevskaya M.-N., Muravieva G.-P., Moscow State University (Russia)

P94/CO67 ON-LINE ANALYSIS OF HYDROGEN PEROXIDE *via* RAMAN SPECTROSCOPY. APPLICATION TO THE DIRECT SYNTHESIS OF H₂O₂ : DECOMPOSITION REACTION.
Moreno T., Garcia Serna J., Cocero M.-J., University of Valladolid (Spain) and Piqueiras C.-M., PLAPIQUI, Bahia Blanca (Argentina)

SESSION B3-B5 : MATERIALS - POLYMERS

P03 SOL-GEL BIOPOLYMER/SILICA NANOCOMPOSITE IN BIOTECHNOLOGY.
Agoudjil N., USTHB, Bab Ezzouar, Alger (Algeria), Coradin T. and Livage J., Laboratoire de Chimie de la Matière Condensée, Paris (France)

P05 POLYAMIDE AND POLYPROPYLENE TEXTILE DYEING USING SUPERCRITICAL CARBON DIOXIDE (sc-CO₂).
Garay I., Pocheville A., Hernando I., Gaiker-IK4, Zamudio (Spain), Fages E., Girones S. and Ferrándiz M., Aitex Textile Technological Institute, Alcoy (Spain)

P23 IMPROVING THE EFFICIENCY OF THE SUPERCRITICAL IMPREGNATION OF POLY(D,L-LACTIDE-CO-GLYCOLIDE) WITH INDOMETHACIN.
Cabezas L.-I., Fernández V., Gracia I., de Lucas A. and Rodríguez J.-F., University Castilla La Mancha, Ciudad Real (Spain)

P43 TREATMENT OF FLUOROPOLYMERS IN SUPERCRITICAL CARBON DIOXIDE
Nikolaev A.-Yu., Nikitin L.-N., Said-Galiyev E.-E., Nesmeyanov Institute of Organoelement Compounds, Moscow, Yopilov Yu.-E., Khokhlov A.-R., Lemonosov Moscow State University, Bouznic V.-M., Baikov Institute of Metallurgy and Materials Science, Moscow (Russia)

P50 NEW NANOPOROUS POLYHETEROARYLENES WITH ULTRA-LOW DIELECTRIC PERMITTIVITY.
Keshtov M.L, Godovsky D.Yu., Said-Galeev E.E. and Khokhlov A.R., A.N.Nesmeyanov Institute of Elementoorganic Compounds, Moscow (Russia)

P64 POLYMERIZATION OF POLYESTERS IN CARBON DIOXIDE : STUDY OF DEGRADATION.
Mazarro R., Sánchez L.-A., de Lucas A., Gracia I. and Rodriguez J.-F., University of Castilla-La Mancha, Ciudad Real (Spain)

P67 PREPARATION OF PH SENSITIVE POLY(VINYLIDENEFLUORIDE) POROUS MEMBRANES BY GRAFTING OF ACRYLIC ACID ASSISTED BY SUPERCRITICAL CARBON DIOXIDE.
Galia A., Ferro L., Firetto V., Filardo G., and Scialdone O. Università di Palermo (Italy).

P74 NEW POROUS MATERIALS FROM NATURAL POLYMERS PROCESSED BY SUPERCRITICAL CO₂.
Tsiopstias C. and Panayiotou C., Aristotle University of Thessaloniki (Greece)

P79 FIBROPOROUS POLYTETRAFLUOROETHYLENE MODIFIED OF GOLD AND SILVER NANOPARTICLES BY SUPERCRITICAL CARBON DIOXIDE AND METAL-VAPOR SYNTHESIS
Nikitin L.-N., Vasilkov A.-Yu, Naumkin A.-V., Abramchuk S.-S., Bubnov Yu.-N., Nesmeyanov Institute of Organoelement Compounds, Moscow (Russia), Tolstopyatov E.-M., Grakovich P.-N. and , Rakhmanov S.-K., National Academy of Sciences of Belarus, Gomel (Belarus)

- P80 S – L TRANSITION OF PEG 35000 UNDER PRESSURE OF NITROGEN AND CARBON DIOXIDE**
Mandžuka Z., Škerget M. and Knez Ž., University of Maribor, Maribor (Slovenia)

SESSION D2 : MATERIALS – AEROGELS

- P65 EXPERIMENTAL STUDIES OF BIOPOLYMERS IN PRESENCE OF HIGH PRESSURE CARBON DIOXIDE.**
Frerich S., Kareth S., Kilzer K., Petermann M. and Weidner E., Ruhr-University Bochum (Germany)
- P70 ZIRCON OXIDE AEROGELS PREPARED BY THE EPOXY-ROUTE AND SUPERCRITICAL DRYING.**
Brandt S., Milow B. and Ratke L. Institute of Materials Physics in Space, German Aerospace Center, Köln (Germany)

SESSION A3 : REACTIVITY – SYNTHESIS

- P18 PROCESS DESIGN FOR VEGETABLE FAT HYDROGENATION IN SC : REACTOR OPERATION, CO-SOLVENT AND SAFETY.**
Mayorga M.-J., Cuevas D., Bojarski A.-D., and Recasens F., University Politècnica de Catalunya Barcelona (Spain)
- P25 CATALYTIC HYDROGENATION IN MODIFIED DENSE CO₂.**
Santana A., Huguet A., Pina B., Recasens F. and Larrayoz M.-A., University Politecnica de Catalunya, Barcelona (Spain)
- P31 KINETICS OF THE ENZYMATIC HYDROLYSIS OF HAKE OIL IN SUPERCRITICAL CO₂.**
Rubio-Rodríguez B., Beltrán S., University of Burgos (Spain), Rochová H. and Sovová H., Institute of Chemical Processes Fundamentals, Prague (Czech Republic)
- P41 OXIDATIVE DEGRADATION OF CFRP WITH NO₂ IN scCO₂ FOR CHEMICAL RECYCLING**
Yanagihara N., Nakazato K. and Mori K., Teikyo University, Utsunomiya (Japan)
- P51 RH CATALYZED HYDROFORMYLATION OF HIGH MOLECULAR WEIGHT OLEFINS IN CO₂ EXPANDED LIQUID POLYMERS**
Galia A., Ferro L., Firetto V., Filardo G. and Scialdone O., Università di Palermo (Italy).
- P69 TRANSFORMATIONS OF MONOTERPENE EPOXIDES IN SUPERCRITICAL SOLVENTS.**
Volcho K., Irina Il'ina I., Salakhutdinov N., Vorozhtsov Novosibirsk Institute of Organic Chemistry and Anikeev V., Boreskov Institute of Catalysis, Novosibirsk (Russia)
- P102 ASYMMETRIC EPOXIDATION CATALYZED BY MN(III)-FLUOROUS BINAPHTHYL SCHIFF BASE COMPLEXES.**
Erdem O. and Guzel B., Cukurova University, Adana (Turkey)

SESSION B2 : REACTIVITY – ENERGY

- P44 GREEN INTEGRATED CONTINUOUS PROCESS FOR BIODIESEL PRODUCTION**
Paiva A., Rodrigues R., Simões P. and Barreiros S., Universidade Nova de Lisboa, Caparica (Portugal)

- P45 FATTY ETHYL ESTERS PRODUCTION FROM SOYBEAN OIL IN CONTINUOUS MODE WITH SUPERCRITICAL ETHANOL AND PROPANE AS COSOLVENT COSSOLVENT**
Linhares W., Delmondes V., Alles Jesus A. , Fortuny M., Santos A.-F., Freitas L.-S., Egues S.-M., Dariva C., University Tiradentes, Aracaju (Brasil) and Ramos A.-L.-D., Universidade Federal de Sergipe, Aracaju (Brasil)

SESSION D1 : MATERIALS – INORGANIC

- P22 PREPARATION OF MICROPARTICLES OF FUNCTIONAL PIGMENTS BY BY GAS-SATURATED SOLUTIONS PROCESS USING SUPERCRITICAL CARBON DIOXIDE AND POLYETHYLENE GLYCOL.**
Kwon K.-T., Jung G.-W., Sim J.-E. and Chun B.-S., Pukyong National University, Pusan (Korea)
- P28 SYNTHESIS OF OXIDE NANO-PARTICLES WITH A CONTINUOUS HYDROTHERMAL PRODUCTION PROCESS UNDER SUPERCRITICAL CONDITIONS.**
Demoisson F., Ariane M. and Bernard F., University of Bourgogne, Dijon (France)
- P97/CO10 PREPARATION OF VISIBLE-LIGHT-DRIVEN TiO₂ PHOTOCATALYST DOPED WITH IRON IN SUPERCRITICAL CARBON DIOXIDE.**
Alonso E., Fernández-Rodríguez H. and Cocero M.-J., University of Valladolid (Spain)

SESSION A6 : OTHER APPLICATIONS

- P39 REMEDIATION OF SOILS CONTAMINATED WITH PESTICIDES. A REVIEW.**
Castelo-Grande T., Augusto P.-A, Barbosa D., Monteiro A.-M., University of Porto (Portugal) and Estevez A.-M., University of Salamanca (Spain)
- P47 FEASIBILITY STUDY OF LANDFILL LEACHATE HYDROTHERMAL OXIDATION TREATMENT**
Vadillo V., García-Jarana M.-B., Sánchez-Oneto J., Portela J.-R. and Martínez de la Ossa E.-J., University of Cádiz, Puerto Real (Spain)
- P81 SEPARATION OF FREE FATTY ACIDS USING SUPERCRITICAL FLUID CHROMATOGRAPHY**
Kotnik P., Škerget M. and Knez Ž. University of Maribor (Slovenia)
- P96 A WORLD OF SUPERCRITICAL FLUID INSTRUMENTATION AND APPLICATION.**
Srivastava A., Institute Of Chromatography, Kasliwal Heritage, Shreyanagar, Aurangabad (India)